

Estimate of Materials and Cost of Construction

Date: --/~/--
Project: ----
Project Location: -----

Summary

												TRADE COST		
	DIV-01	GENERAL											\$	-
	DIV-02	SELECTIVE REMOVALS AND DEMOLITIONS											\$	-
	DIV-03	CONCRETE											\$	-
	DIV-04	UNIT MASONRY											\$	-
	DIV-05	METALS											\$	-
	DIV-06	WOOD, PLASTICS & COMPOSITES											\$	-
	DIV-07	THERMAL AND MOISTURE PROTECTION											\$	-
	DIV-08	OPENINGS											\$	-
	DIV-09	FINISHES											\$	-
	DIV-10	SPECIALTIES											\$	-
	DIV-11	EQUIPMENTS											\$	-
	DIV-12	FURNISHINGS											\$	-
	DIV-13	SPECIAL CONSTRUCTION											\$	-
	DIV-14	CONVEYING EQUIPMENT											\$	-
	DIV-21	FIRE SUPPRESSION											\$	-
	DIV-22	PLUMBING											\$	-
	DIV-23	(HVAC) HEATING VENTILATING & AIR CONDITIONING											\$	-
	DIV-26	ELECTRICAL											\$	-
	DIV-31	EARTHWORK											\$	-
	DIV-32	EXTERIOR IMPROVEMENTS											\$	-
	DIV-33	UTILITIES											\$	-
												\$	-	
INSURANCE												0%	\$	-
OVERHEAD AND PROFIT												20%	\$	-
TOTAL BASE BID												\$	-	

Detailed Estimate

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT MATERIAL COST	UNIT LABOR COST	TOTAL MATERIAL COST	TOTAL LABOR COST	TOTAL ITEM COST	TRADE COST	
			DIV-01	GENERAL										\$	-
1				Permit	1	0%	1	LS			\$	-	\$	-	
2				Supervision	1	0%	1	LS			\$	-	\$	-	
3				Final Cleanup	1	0%	1	LS			\$	-	\$	-	
4				Mobilization Cost	1	0%	1	LS			\$	-	\$	-	
5				Project Overheads	1	0%	1	LS			\$	-	\$	-	
6				Bonds	1	0%	1	LS			\$	-	\$	-	
7				Fees (Architect & Engineer)	1	0%	1	LS			\$	-	\$	-	
8				Temporary Control & Facilities	1	0%	1	LS			\$	-	\$	-	
9				Scaffolding	1	0%	1	LS			\$	-	\$	-	
			DIV-06	WOOD, PLASTICS & COMPOSITES											\$
				Wall Framing											
				4" Thick Wall											
10				2x4 Wood Studs @ 16" O.C. (10'-0" High)	96	10%	106	EA			\$	-	\$	-	
11				Double Top Wood Plate (12'-0" High)	21	10%	23	EA			\$	-	\$	-	
12				Bottom Wood Plate (12'-0" High)	11	10%	12	EA			\$	-	\$	-	
13				2X Wall Blocking (12'-0" High)	11	10%	12	EA			\$	-	\$	-	

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT MATERIAL COST	UNIT LABOR COST	TOTAL MATERIAL COST	TOTAL LABOR COST	TOTAL ITEM COST	TRADE COST
				6" Thick Wall										
14				2x6 Wood Studs @ 16" O.C. (10'-0" High)	371	10%	408	EA			\$ -	\$ -	\$ -	-
15				Double Top Wood Plate (12'-0" High)	82	10%	90	EA			\$ -	\$ -	\$ -	-
16				Bottom Wood Plate (12'-0" High)	41	10%	45	EA			\$ -	\$ -	\$ -	-
17				2X Wall Blocking (12'-0" High)	41	10%	45	EA			\$ -	\$ -	\$ -	-
				6" Thick Wall										
18				2x6 Wood Studs @ 16" O.C. (4'-0" High)	52	10%	58	EA			\$ -	\$ -	\$ -	-
19				Double Top Wood Plate (12'-0" High)	11	10%	13	EA			\$ -	\$ -	\$ -	-
20				Bottom Wood Plate (12'-0" High)	6	10%	6	EA			\$ -	\$ -	\$ -	-
21				2X Wall Blocking (12'-0" High)	6	10%	6	EA			\$ -	\$ -	\$ -	-
				4" Thick Wall										
22				2x4 Wood Studs @ 16" O.C. (9'-0" High)	151	10%	167	EA			\$ -	\$ -	\$ -	-
23				Double Top Wood Plate (12'-0" High)	33	10%	37	EA			\$ -	\$ -	\$ -	-
24				Bottom Wood Plate (12'-0" High)	17	10%	18	EA			\$ -	\$ -	\$ -	-
25				2X Wall Blocking (12'-0" High)	17	10%	18	EA			\$ -	\$ -	\$ -	-
				6" Thick Wall										
26				2x6 Wood Studs @ 16" O.C. (9'-0" High)	204	10%	225	EA			\$ -	\$ -	\$ -	-
27				Double Top Wood Plate (12'-0" High)	45	10%	50	EA			\$ -	\$ -	\$ -	-
28				Bottom Wood Plate (12'-0" High)	23	10%	25	EA			\$ -	\$ -	\$ -	-
29				2X Wall Blocking (12'-0" High)	23	10%	25	EA			\$ -	\$ -	\$ -	-
				Sheathing										
30				4'-0"x8'-0" Exterior Wall Sheathing	184	10%	203	EA			\$ -	\$ -	\$ -	-
				Floor Framing										
				Beams										
				5-1/2"x9-1/2" Beam										
31				5-1/2"x9-1/2" Beam (4'-0" Long)	3	10%	4	EA			\$ -	\$ -	\$ -	-
32				5-1/2"x9-1/2" Beam (6'-0" Long)	4	10%	4	EA			\$ -	\$ -	\$ -	-
33				5-1/2"x9-1/2" Beam (12'-0" Long)	2	10%	2	EA			\$ -	\$ -	\$ -	-
34				5-1/2"x9-1/2" Beam (16'-0" Long)	2	10%	2	EA			\$ -	\$ -	\$ -	-
35				5-1/2"x9-1/2" Beam (20'-0" Long)	2	10%	2	EA			\$ -	\$ -	\$ -	-
				5-1/2"x13-1/2" Beam										
36				5-1/2"x13-1/2" Beam (12'-0" Long)	1	10%	1	EA			\$ -	\$ -	\$ -	-
				5-1/2"x19-1/2" Beam										
37				5-1/2"x19-1/2" Beam (24'-0" Long)	2	10%	2	EA			\$ -	\$ -	\$ -	-
				5-1/2"x18" Beam										
38				5-1/2"x18" Beam (16'-0" Long)	1	10%	1	EA			\$ -	\$ -	\$ -	-
39				5-1/2"x18" Beam (18'-0" Long)	1	10%	1	EA			\$ -	\$ -	\$ -	-
				Header										
40				5-1/2"x9-1/2" Header (4'-0" Long)	9	10%	10	EA			\$ -	\$ -	\$ -	-
41				5-1/2"x9-1/2" Header (6'-0" Long)	3	10%	3	EA			\$ -	\$ -	\$ -	-
42				6x8 Wood Header (4'-0" Long)	8	10%	8	EA			\$ -	\$ -	\$ -	-
				Joists										
43				2x8 Wood Joists @ 24" O.C. (14'-0" Long)	12	10%	13	EA			\$ -	\$ -	\$ -	-
44				Tapered Red-165T Joists @ 24" O.C. (12'-0" Long)	10	10%	11	EA			\$ -	\$ -	\$ -	-
45				Tapered Red-165T Joists @ 24" O.C. (20'-0" Long)	6	10%	7	EA			\$ -	\$ -	\$ -	-
				Trusses										
46				Floor Trusses (Per Truss Manufacturer)	1,946	10%	2,141	SF			\$ -	\$ -	\$ -	-
				Sheathing										
47				3/4" T&G Structural Panels W/ - 8d Nails @ 4"/8"	89	10%	97	EA			\$ -	\$ -	\$ -	-
				Posts										
48				6x6 Wood Post (10'-0" High)	20	0%	20	EA			\$ -	\$ -	\$ -	-
49				6x6 Wood Posts (9'-0" High)	17	0%	17	EA			\$ -	\$ -	\$ -	-
				Roof Framing										
				Trusses										
50				Roof Trusses (Per Truss Manufacturer)	3,994	10%	4,393	SF			\$ -	\$ -	\$ -	-
51				Truss Blocking (Per Truss Manufacturer)	10	10%	11	LF			\$ -	\$ -	\$ -	-
				Sheathing										
52				(4'-0"x8'-0") 15/32" CDX or OSB Structural Panels W/ - 8d Nails @ 6"/12"	125	10%	137	EA			\$ -	\$ -	\$ -	-
				Shear Wall										
				1st Floor										
53				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	5	10%	6	EA			\$ -	\$ -	\$ -	-

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT MATERIAL COST	UNIT LABOR COST	TOTAL MATERIAL COST	TOTAL LABOR COST	TOTAL ITEM COST	TRADE COST
54				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
55				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
56				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	3	10%	3	EA			\$ -	\$ -	\$ -	
57				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	4	10%	5	EA			\$ -	\$ -	\$ -	
58				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
59				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
60				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	6	10%	6	EA			\$ -	\$ -	\$ -	
61				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
62				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SB1x30 Hold Down Anchor	3	10%	4	EA			\$ -	\$ -	\$ -	
63				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
64				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SB1x30 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
65				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	6	10%	7	EA			\$ -	\$ -	\$ -	
66				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	5	10%	5	EA			\$ -	\$ -	\$ -	
67				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
68				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
69				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	4	10%	5	EA			\$ -	\$ -	\$ -	
70				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	6	10%	6	EA			\$ -	\$ -	\$ -	

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT MATERIAL COST	UNIT LABOR COST	TOTAL MATERIAL COST	TOTAL LABOR COST	TOTAL ITEM COST	TRADE COST
71				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
72				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & 7/8" Dia A307 Hold Down Anchor	3	10%	4	EA			\$ -	\$ -	\$ -	
73				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
74				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
75				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
76				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
77				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
78				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & 7/8" Dia A307 Hold Down Anchor	5	10%	6	EA			\$ -	\$ -	\$ -	
79				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & 7/8" Dia A307 Hold Down Anchor	4	10%	4	EA			\$ -	\$ -	\$ -	
80				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & 7/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
81				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & 7/8" Dia A307 Hold Down Anchor	5	10%	6	EA			\$ -	\$ -	\$ -	
82				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
83				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	3	10%	3	EA			\$ -	\$ -	\$ -	
84				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SB1x30 Hold Down Anchor	4	10%	5	EA			\$ -	\$ -	\$ -	
85				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
86				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - 1/2" Diameter Anchor Bolts @ 16" O.C. - HDU8-SDS2.5 Hold Down & SSTB28 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
				2nd Floor										
87				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	6	10%	6	EA			\$ -	\$ -	\$ -	

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT MATERIAL COST	UNIT LABOR COST	TOTAL MATERIAL COST	TOTAL LABOR COST	TOTAL ITEM COST	TRADE COST
88				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	3	10%	4	EA			\$ -	\$ -	\$ -	
89				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
90				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
91				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
92				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	3	10%	3	EA			\$ -	\$ -	\$ -	
93				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
94				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	5	10%	5	EA			\$ -	\$ -	\$ -	
95				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
96				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
97				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	2	EA			\$ -	\$ -	\$ -	
98				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - LSTA 36	1	10%	2	EA			\$ -	\$ -	\$ -	
99				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
100				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	2	10%	2	EA			\$ -	\$ -	\$ -	
101				(4'-0"x8'-0") 15/32" STR-1 Sheathing W/ - 8d Common @ 4"/6" - HDU4-SDS2.5 Hold Down - 5/8" Dia A307 Hold Down Anchor	1	10%	1	EA			\$ -	\$ -	\$ -	
				Hardware										
102				Simpson Strong Tie CB66	8	10%	9	EA			\$ -	\$ -	\$ -	
103				Hold Downs	88	10%	97	EA			\$ -	\$ -	\$ -	
104				Simpson Strong Tie HUCQ612-SDS	4	10%	4	EA			\$ -	\$ -	\$ -	
SUB TOTAL												\$ -	\$ -	\$ -
INSURANCE									0%		\$ -	\$ -	\$ -	
OVERHEAD AND PROFIT									20%		\$ -	\$ -	\$ -	
TOTAL BASE BID												\$ -	\$ -	\$ -